


This tutorial demonstrates how to edit a document interactively with the Acrobat Check-in/Check-out plug-in. This tutorial also uses the Enfocus PitStop Pro Acrobat plug-in. This way, the document stays part of the Asanti system, which limits the re-processing and processing time. The Acrobat plug-ins are installed via the Asanti client installation wizard (only when Adobe Acrobat Pro is present).


Download the Asanti Sample Files via the Asanti Client, via Help > Asanti Online > Download Sample Files.

1. Change the dimensions


1. Create a New Wide Format Job.
2. Select an Anapurna M2500 printer.
3. Select as Media 650 x 500 mm.
4. Drop the file *EVP85x11.pdf* on the Image pane.
5. In the Image pane, context-click the image, and select **Check Out and Edit Document**.
6. Acrobat Pro opens automatically, and it jumps to the selected page. (If multiple viewers are available, choose Adobe Acrobat) You might notice that a connection is made.




7. In Acrobat, open the Tools-tab, and select the Apogee DocuBox Manager plug-in.





8. Click “Add” to add a shortcut in the right Tool bar.




9. Open the Apogee DocuBox Manager, and select the **Settings Dialog**.



- 10. Select the **MediaBox** and select the **Coordinates**.
- 11. Change the Bottom value to 60 mm. (if needed, first change the units to Millimeters in the Acrobat Preferences)
- 12. Select the **CropBox**, and click **Delete Box**.
- 13. Select the **ArtBox**, and click **Delete Box**.
- 14. Close the DocuBox Manager to continue.



15. Open the Tools-tab, and select the Check-in/Check-Out plug-in.
Click “Add” to add a shortcut in the right Tool bar.





16. Open the Check-in/Check-Out plug-in

17. Click the “Apogee Check-in” button centered above.

18. Click Save to apply the changes, and you will be guided back to the Asanti Layout Editor.


- In Asanti, the file will be updated.
- You will see that the MediaBox changes are applied.
- The file name will get an [1], to mark it as the first revision.


19. Click Submit Job and the Submit to confirm.



2. Add a White color


1. Create a **New Wide Format** job.
2. In the Job Set-up pane, select the **Anapurna M2500** printer.
3. Drop the *Agfa Flag.pdf* on the Images Pane.
4. Choose as Media **650 x 500 mm**.
5. Enable **White**.
6. Select **From Image** and **Pre-white (On White calibration)**.
7. Select a CMP that supports White Printing, e.g. **HighDens – 8P DS Bi 720x1440 – 6C**.
8. Click **Apply Changes**.
9. Context-click the image, and select **Check Out and Edit Document**.
10. In Acrobat Pro, open the Tools, and select the Apogee SpotCreator plug-in.





11. Click “Add” to add a shortcut in the right Tool bar.
12. Open SpotCreator, and select  **Manage Spots**
13. **Modify** a Spot.


Color: click the cyan and select white from the “basic colors” list.

NOTE: the color that we select to represent white in Acrobat is not important for the printing process.

14. Click **OK**.
15. Now open  **LineArt Selection Tool**
16. Select the red rhombus of the Agfa-logo.
17. Select Spot: White




18. Select 50% as Density, and click on the **Cover**-button
19. In the right Tools-bar, click to open the Check-in/Check-Out plug-in.
20. Check-in the document like in the previous exercise.
21. Click **Save** to apply the changes and you will be guided back to the Asanti Layout Editor.
The file in the Images pane will be updated.
22. Context-click **Edit with Preview...**
23. Open the Ink Palette (Windows>Palettes>Show Inks), and select the Cursor/Selection ink coverage.
24. You will see the cover values for the white ink, when selecting an area in the red rhombus.
NOTE: the white color visualization in the Preview can be changed by clicking on the color rectangle in front of white in the Inks Palette.
25. Close the Preview
26. Click Submit Job and the Submit to confirm.




3. Edit the content of a page

1. Go to the Jobs section, and create a **New Wide Format Job**.
2. Select the **Anapurna M2500** as printer.
3. Choose as Media **650 x 500 mm**.
4. Drop the *Asanti-sticker-01.pdf* on the Images Pane.
5. After processing, Context-click and select **Check Out and Edit Document**.
6. In Acrobat, open Pitstop Edit.



7. Click on the **Select Object** arrow, and select the **ASANTI** dots. Delete them.
8. Click **OK** to remove the Illustrator PieceInfo.



9. Check-in the document like in the previous exercise.
10. Click **Save** to apply the changed and you will be guided back to the Asanti Layout Editor.
11. The changes will be applied.
12. Click **Submit Job** and delete it.

4. Remarks

- Check-in/Check-Out is only possible when the input file is a PDF or Ai format. EPS files and the supported bitmap files can't be edited via this plug-in.